

INDEPENDENT HOSPITAL PRICING AUTHORITY

**THE INTERNATIONAL STATISTICAL CLASSIFICATION
OF DISEASES AND RELATED HEALTH PROBLEMS,
TENTH REVISION, AUSTRALIAN MODIFICATION**

ICD-10-AM

ALPHABETIC INDEX

TWELFTH EDITION
1 JULY 2022

TABLE OF CONTENTS

PREFACE	v
ACKNOWLEDGEMENTS	vi
INTRODUCTION	vii
USING ICD-10-AM	viii
Conventions of the ICD-10-AM Alphabetic Index	viii
ICD-10-AM ALPHABETIC INDEX	1
Section I: Alphabetic index of diseases and nature of injury	1
Section II: External causes of injury	413
Section III: Table of drugs and chemicals	461

SECTION I

ALPHABETIC INDEX OF DISEASES AND NATURE OF INJURY

A

A

Aarskog's syndrome Q87.19
Abandoned procedure, after initiation Z53.3
Abandonment T74.0
Abasia (-astasia) (hysterical) F44.4
Abdomen, abdominal — *see also condition*
 - acute R10.0
 - apron E65
 - convulsive equivalent G40.8-
 - muscle deficiency syndrome Q79.4
 - overhang E65
 - testicle NEC Q53.93
 - - bilateral Q53.23
 - - unilateral Q53.13
Abdominalgia R10.4
Abduction contracture, hip or other joint — *see Contraction(s)/joint*
Aberrant (congenital) — *see also Malposition/congenital*
 - adrenal gland Q89.14
 - artery (peripheral) NEC Q27.8
 - - pulmonary Q25.79
 - breast Q83.8
 - endocrine gland NEC Q89.29
 - hepatic duct Q44.5
 - pancreas Q45.39
 - parathyroid gland Q89.25
 - pituitary gland Q89.21
 - pulmonary artery Q25.79
 - sebaceous glands, mucous membrane, mouth, congenital Q38.69
 - spleen Q89.03
 - subclavian artery Q27.8
 - thymus (gland) Q89.26
 - thyroid gland Q89.22
 - vein (peripheral) NEC Q27.8
Aberration, mental F99
Abetalipoproteinaemia E78.6
Abiotrophy R68.8
Ablatio, ablation
 - placentae (*see also Abruptio placentae*) O45.9
 - - affecting fetus or newborn P02.1
 - retinae (*see also Detachment/retina*) H33.2
 - uterus Z90.7
Ablepharia, ablepharon Q10.3
Abnormal, abnormality, abnormalities — *see also Anomaly*
 - acid-base balance (mixed) E87.4
 - - fetus — *see Distress/fetal*
 - albumin R77.0
 - alpha-fetoprotein R77.2
 - amnion, amniotic fluid O41.9
 - - affecting fetus or newborn P02.9
 - apertures, congenital, diaphragm (hemidiaphragm) Q79.19
 - auditory perception NEC H93.2
 - autosomes NEC Q99.9
 - - fragile site Q95.5
 - basal metabolic rate R94.8
 - biosynthesis, testicular androgen E29.1

Abnormal, abnormality, abnormalities — *continued*
 - bleeding time (overwarfarinisation) (subtherapeutic INR) (supratherapeutic INR) (underwarfarinisation) R79.83
 - - with bleeding due to circulating anticoagulants D68.3
 - blood gas level R79.81
 - blood level (of)
 - - cobalt R79.0
 - - copper R79.0
 - - iron R79.0
 - - lithium R78.8
 - - magnesium R79.0
 - - mineral NEC R79.0
 - - zinc R79.0
 - bowel sounds R19.1
 - breathing NEC R06.8
 - caloric test R94.1
 - carbohydrate tolerance (glucose) (test) E09.-
 - - in pregnancy, childbirth or puerperium O24.-
 - cervix (acquired) (congenital) NEC
 - - affecting
 - - - fetus or newborn P03.1
 - - - labour or delivery O65.5
 - - - pregnancy O34.4
 - chemistry, blood R79.9
 - - specified NEC R79.89
 - chest sounds (friction) (rales) R09.89
 - chorion O41.9
 - - affecting fetus or newborn P02.9
 - chromosome, chromosomal Q99.9
 - - analysis result R89.8
 - - dicentric replacement Q93.2
 - - female with more than three X chromosomes Q97.1
 - - fetal (suspected), affecting management of pregnancy O35.1
 - - ring replacement Q93.2
 - - sex Q99.8
 - - - female phenotype Q97.9
 - - - - specified NEC Q97.8
 - - - - male phenotype Q98.9
 - - - - - specified NEC Q98.8
 - - - - structural, male Q98.6
 - - specified NEC Q99.8
 - clinical findings NEC R68.8
 - coagulation D68.9
 - - newborn, transient P61.6
 - - time (abnormal INR) (subtherapeutic INR) (supratherapeutic INR) R79.83
 - - - with bleeding due to circulating anticoagulants D68.3
 - communication — *see Fistula*
 - course, eustachian tube Q16.4

Abnormal, abnormality, abnormalities — *continued*
 - diagnostic imaging
 - - abdomen, abdominal region NEC R93.59
 - - biliary tract R93.2
 - - breast R92
 - - central nervous system NEC R90.8
 - - coronary circulation R93.1
 - - digestive tract NEC R93.3
 - - gastrointestinal (tract) R93.3
 - - genitourinary organs R93.8
 - - head R93.0
 - - heart R93.1
 - - intrathoracic organs NEC R93.8
 - - limbs R93.6
 - - liver R93.2
 - - lung (field) R91
 - - musculoskeletal system NEC R93.7
 - - pelvis, pelvic region NEC R93.59
 - - retroperitoneum R93.59
 - - sites specified NEC R93.8
 - - skin and subcutaneous tissue R93.8
 - - skull R93.0
 - - urinary organs R93.4
 - - uterus R93.51
 - ear ossicles, acquired NEC H74.3
 - echocardiogram R93.1
 - echoencephalogram R90.8
 - echogram — *see Abnormal/diagnostic imaging*
 - electrocardiogram (ECG) (EKG) R94.3
 - electroencephalogram (EEG) R94.0
 - electrolyte (*see also Imbalance/electrolyte*) E87.8
 - electromyogram (EMG) R94.1
 - electro-oculogram (EOG) R94.1
 - electrophysiological intracardiac studies R94.3
 - electroretinogram (ERG) R94.1
 - faeces (colour) (contents) (mucus) R19.5
 - fetus, fetal
 - - acid-base balance, complicating labour and delivery O68.3
 - - affecting management of pregnancy O35.9
 - - causing disproportion O33.7
 - - - affecting
 - - - - fetus or newborn P03.1
 - - - - labour or delivery O66.3
 - - - - pregnancy O33.7
 - - heart rate — *see Distress/fetal*

Abnormal, abnormality, abnormalities
— *continued*

- finding
- - antenatal screening (mother) O28.9
- - - biochemical NEC O28.1
- - - chromosomal NEC O28.5
- - - cytological NEC O28.2
- - - genetic NEC O28.5
- - - haematological NEC O28.0
- - - radiological NEC O28.4
- - - specified NEC O28.8
- - - ultrasonic O28.3
- - specimen — *see Abnormal/specimen*
- fluid
- - amniotic R89.-
- - cerebrospinal R83.-
- - peritoneal R85.-
- - pleural R84.-
- - respiratory organs (bronchial washings) (nasal secretions) (pleural fluid) (sputum) (throat scrapings) R84.-
- - synovial R89.-
- - thorax (bronchial washings) (pleural fluid) R84.-
- - vaginal R87.-
- forces of labour O62.9
- - affecting fetus or newborn P03.6
- - specified type NEC O62.8
- form
- - teeth K00.2
- - uterus — *see Anomaly/uterus*
- function studies
- - bladder R94.8
- - brain R94.0
- - cardiovascular R94.3
- - endocrine NEC R94.7
- - kidney R94.4
- - liver R94.5
- - nervous system
- - - central R94.0
- - - peripheral R94.1
- - pulmonary R94.2
- - special senses R94.1
- - spleen R94.8
- - thyroid R94.6
- gait (*see also Gait*) R26.8
- - hysterical F44.4
- globulin R77.1
- - cortisol-binding E27.8
- - thyroid-binding E07.8
- glomerular, minor — *code to N00–N07 with fourth character .0*
- glucose tolerance (test) E09.-
- - in pregnancy, childbirth or puerperium O24.-
- gravitational (G) forces or states (effect of) T75.8
- haematological, resulting from HIV disease B23.8
- haemoglobin (disease) (*see also Disease/haemoglobin or Hb*) D58.2
- - trait — *see Trait(s)/haemoglobin/abnormal*
- hair (colour) (shaft) L67.9
- - specified NEC L67.8
- hard tissue formation in pulp (dental) K04.3
- head movement R25.0

Abnormal, abnormality, abnormalities
— *continued*

- heart
- - rate NEC R00.8
- - - fetus — *see Distress/fetal*
- - shadow R93.1
- - sounds NEC R01.2
- histology NEC R89.7
- immunological findings R89.4
- - in serum R76.9
- - - specified NEC R76.8
- - - resulting from HIV disease B23.8
- involuntary movement R25.8
- jaw closure K07.5
- karyotype R89.8
- kidney function test R94.4
- labour NEC O75.8
- - affecting fetus or newborn P03.6
- leukocyte (cell) (differential) NEC R72
- loss of weight R63.4
- Mantoux test R76.1
- membranes (fetal)
- - affecting fetus or newborn P02.9
- - - specified type NEC P02.8
- - complicating pregnancy O41.9
- movement (disorder) (*see also Disorder/movement*) G25.9
- - head R25.0
- - involuntary R25.8
- myelopoiesis, transient (M9898/1) D47.7
- myoglobin (Aberdeen) (Annapolis) R89.-
- organs or tissues of pelvis NEC
- - affecting
- - - fetus or newborn P03.1
- - - - before onset of labour P03.8
- - - labour or delivery O65.5
- - - pregnancy O34.9
- - - - specified NEC O34.8
- - palmar creases Q82.89
- Papanicolaou (smear)
- - cervix R87.6
- - sites NEC R89.6
- parturition — *see also Pregnancy/complicated by*
- - affecting fetus or newborn P03.9
- pelvis (bony) — *see Deformity/pelvis*
- percussion, chest (tympany) R09.89
- periods (grossly) (*see also Menstruation*) N92.6
- phonocardiogram R94.3
- placenta NEC (*see also Placenta/abnormal*) O43.1
- plasma
- - protein R77.9
- - - specified NEC R77.8
- - viscosity R70.1
- pleural (folds) Q34.0
- position — *see Malposition*
- posture R29.3
- presentation (fetus) NEC — *see Malpresentation, fetus*
- product of conception O02.9
- - specified type NEC O02.8
- prostate specific antigen (PSA) R79.82

Abnormal, abnormality, abnormalities
— *continued*

- pulmonary
- - artery, congenital Q25.70
- - - specified NEC Q25.79
- - function, newborn P28.89
- - test results R94.2
- - ventilation, newborn P28.89
- pupillary function (reaction) (reflex) H57.0
- radiological examination — *see Abnormal/diagnostic imaging*
- red blood cell(s) (morphology) (volume) R71
- reflex NEC (*see also Reflex*) R29.2
- renal function test R94.4
- response to nerve stimulation R94.1
- retinal correspondence H53.3
- rhythm, heart (*see also Arrhythmia*) I49.9
- - fetus — *see Distress/fetal*
- saliva R85.-
- secretion
- - gastrin E16.4
- - glucagon E16.3
- semen, seminal fluid R86.-
- serum level (of)
- - acid phosphatase R74.8
- - alkaline phosphatase R74.8
- - amylase R74.8
- - enzymes R74.9
- - - specified NEC R74.8
- - lipase R74.8
- - triacylglycerol lipase R74.8
- - troponin R74.8
- shape
- - gravid uterus — *see Anomaly/uterus*
- - head NEC Q75.89
- sinus venosus Q21.12
- size
- - head Q75.89
- - tooth, teeth K00.2
- spacing, tooth, teeth K07.3
- specimen
- - cervix uteri R87.-
- - digestive organs (peritoneal fluid) (saliva) R85.-
- - female genital organs (secretions) (smears) R87.-
- - male genital organs (prostatic secretions) (semen) R86.-
- - nipple discharge R89.-
- - respiratory organs (bronchial washings) (nasal secretions) (pleural fluid) (sputum) (throat scrapings) R84.-
- - specified organ, system or tissue NEC R89.-
- - synovial fluid R89.-
- - thorax (bronchial washings) (pleural fluids) R84.-
- - vagina (secretion) (smear) R87.-
- - vulva (secretion) (smear) R87.-
- - wound secretion R89.-
- spermatozoa R86.-
- sputum (amount) (colour) (odour) R09.3
- stool (colour) (contents) (mucus) R19.5
- synchondrosis Q78.89
- thermography — *see Abnormal/diagnostic imaging*

Abnormal, abnormality, abnormalities— *continued*

- thyroid-binding globulin E07.8
- tooth, teeth (form) (size) K00.2
- toxicology (findings) R78.9
- transport protein E88.0
- ultrasound results — *see Abnormal/diagnostic imaging*
- umbilical cord
 - - affecting fetus or newborn P02.6
 - - complicating delivery O69.9
- urination NEC R39.1
- urine (constituents) NEC R82.9
 - - cytological examination R82.8
 - - heavy metals R82.6
 - - histological examination R82.8
 - - microbiological examination (culture) R82.7
 - - positive culture R82.7
 - - specified NEC R82.9
 - - substances nonmedical R82.6
- vagina (acquired) (congenital)
 - - affecting
 - - - fetus or newborn P03.1
 - - - labour or delivery O65.5
 - - - pregnancy O34.6
- vectorcardiogram R94.3
- visually evoked potential (VEP) R94.1
- vulva and perineum (acquired) (congenital)
 - - affecting
 - - - fetus or newborn P03.1
 - - - labour or delivery O65.5
 - - - pregnancy O34.7
- white blood cells NEC R72
- x-ray examination — *see Abnormal/diagnostic imaging*

Abnormity (any organ or part)— *see Anomaly***ABO (immune) haemolytic disease**

(fetus or newborn) P55.1

Abolition, language R48.8**Aborter, habitual or recurrent** N96

- care in current pregnancy O26.2
- current abortion — *see also Abortion/by type*
- - affecting fetus P01.8

Abortion (complete) (incomplete) O06.-

- accidental (*see also Abortion/spontaneous*) O03.9
- affecting fetus or newborn P96.4
- attempted — *see Abortion/failed attempted*

A